

ComplianceTrainingPartners.com
P. 888.388.4782



${\bf Compliance Training Partners.com}$

P. 888.388.4782 20793 Farmington Road, Suite LL Farmington Hills, MI 48336

GHS COMPLIANCE



The Globally Harmonized System for Hazard Communication

The Occupational Safety and Health Administration (OSHA) has adopted the Globally Harmonized System for Hazard Communication (GHS) in the United States. The GHS, as the name implies, is a way of communicating chemical safety hazards in a consistent manner throughout the world.

This system utilizes Safety Data Sheets (SDS) and labeling that will be identical for the same chemical no matter if it was manufactured in Europe, Asia or North America. This will not only enhance the protection of both people and the environment but will facilitate international trade. For example — in the healthcare industry, many products come from the United States, Japan and Germany.

As a business owner, it is your responsibility to be in compliance with the GHS mandate. Let Compliance Training Partners assist you in your compliance efforts.

TABLE OF CONTENTS

6 - 8	Compliance Manuals	OSHA Compliance and Infection Control Program - Dental
	And Documents	and Medical
		HIPAA Compliance Program
		OSHA and HIPAA Manuals & Upgrades
9 - 11	Posters	GHS Wall Chart
		Bloodborne Compliance Wall Chart
		HIPAA Compliance Wall Chart
		Wall Chart Combo
		Labor Law Poster
		Fire Safety Wall Poster
		First Aid Response Poster
12 - 19	Labels / Signs	Biohazard Warning Labels
		Radiation Caution Labels
		GHS Chemical Product Labels
		Waterproof Labels
		OSHA Compliance Label Kit
		Variety Pack of Labels
		Standard Precautions
		Stop! Wash Hands
		Handwashing Technique (English/Spanish)
		Laser Warning Sign
		Medical Gas Warning Sign
		Cough Etiquette Sign
		Emergency Signs - Glow - In - The - Dark
		Caution Radiation Sign
		Biohazard Storage
		"Allergic To" Labels Medical Alert Labels
		Variety Pack of Infection Control Labels
		HIPAA Alert Labels
		HIPAA Patient Consent Forms
		This year actions consent to this
20 - 23	Spill Kits & Utility Gloves	Master Spill Kit
		Mercury Spill Kit
		Biological Spill Kit
		Chemical Spill Kit
		Chemo Spill Kit
		Nitrile Utility Gloves
24-29	Online Training Programs	OSHA and Infection Control Made Easy Online Training
		Program

Fire Safety & Disaster Training

HIPAA Compliance Made Easy Online Training Program

30-32 **Monitoring Programs** Aquasafe® Dental Unit Waterline Testing System X-Ray Monitoring Service Nitrous Oxide Monitor Formaldehyde/Glutaraldehyde Vapor Monitor **Services** Dispose Alloy™ Amalgam Recycling Program **33 Tooth Disposal System** 35-46 Safety/Infection Control SDS Binder **Products** Contaminated Instrument Kaddy-Small & Large Safety Glasses Side Shields Safety Goggles Ear Plugs Lasershields® Protective Eyewear **Emergency Eyewash Station Emergency Eyewash Station Angled** Wall Mounted Eyewash Station Portable Eyewash Station Eyewash Caps Eyewash Signs & Labels **Eyewash Inspection Tags Eyewash Adapters** Eliminator Valve Adapter **CPR Pocket Microshield** Single Handed Needle Recapper Scalpel Blade Remover Lab Case Disinfection Labels Sterilization Pouch Stamp & Pad First-Aid Safety Kit Laundry Bag & Stand Aquasafe® Evacuation System Cleaner AguaSafe® Dental Unit Waterline Cleaner Fire Extinguisher Infectious Waste Bags **General Information** Frequently Asked Questions 47-66 Ordering Information

Audit Checklists



OSHA Compliance and Infection Control Program

The comprehensive OSHA Compliance and Infection Control Program covers all aspects of the Occupational Safety and Health Act as well as the CDC Infection Control Guidelines.

Complete Program includes:

- Complete written training manual with all required documents
- Complete Infection Control Program as outlined by the CDC
- Required written Exposure Control Plan
- Required written Hazard Communication Plan
- TB Compliance Program
- Workplace Violence Program
- Family and Medical Leave Act Compliance
- Sexual harassment policy requirements
- Comprehensive online training program for doctor and staff
- 3 CEUs for 3 individuals after exam completion (Dental Clients Only)
- Assistance with OSHA Inspections
- Toll-Free telephone and online technical support
- GHS Hazardous materials wall chart
- Required Labor Law Poster
- Upgrade Service (1 year)
- Required product labels which includes:

•	40	2.5" x 2.5"	GHS labels
•	8	4" × 4"	GHS labels
•	20	2" x 2"	Biohazard labels
•	10	4" × 4"	Biohazard labels
•	5	1.5" x 4"	Radiation labels



DCPE MCPE	Dental Medical	\$499
DCPE-S MCPE-S	Dental Spanish Medical Spanish	\$499

HIPAA Compliance Program

The Health Insurance Portability and Accountability Act (HIPAA) requires that all healthcare providers adhere to a specific set of security and privacy standards. The CTP HIPAA Compliance Program provides everything your office needs to meet these requirements:

Complete Program includes:

- A comprehensive compliance manual
- All required documents and written policies are auto-populated with the name of your practice or business
- Required Notice of Privacy Practices
- HIPAA consent forms
- Comprehensive online training program for doctor and staff
- 2 Continuing Education Units for 3 individuals after exam completion (Dental Clients Only)
- Assistance with HIPAA Inspections
- Toll-Free telephone and online technical support
- Laminated wall chart of regulations
- **4** 4" x 6" Compliance warning labels with re-usable cling back
- Upgrade Service (1 year)





HIP	HIPAA Compliance System (Dental)	\$469.95
HIP-M	HIPAA Compliance System (Medical)	\$469.95
HIP-S	HIPAA Compliance System (Dental) Spanish	\$469.95
HIP-MS	HIPAA Compliance System (Medical) Spanish	\$469.95

OSHA & HIPAA Special Manuals

For offices that have outdated manuals, these manuals include a one (1) or two (2) years of upgrade service. <u>DOES NOT</u> include online staff training, wall charts or labels.

DCM1	Dental OSHA Manual/ 1 yr Upgrade Service	\$299.50
MCM1	Medical OSHA Manual/ 1 yr Upgrade Service	\$299.50
DCM2	Dental OSHA Manual/ 2 yr Upgrade Service	\$349.00
MCM2	Medical OSHA Manual/ 2 yr Upgrade Service	\$349.00
НСМ1	Dental/Medical HIPAA Manual/1yr Upgrade Service	\$299.50
НСМ2	Dental/Medical HIPAA	









This chart complies with the Globally Harmonized System for Hazard Communication and was designed to assist employees in evaluating chemical hazards and identifying protective needs when working with hazardous materials. Chemical and product labels are easily interpreted by use of rating codes and pictorials. Essential for every health facility, this chart is available in two sizes to allow for posting in a variety of places.

GHSWS 9" x 25"	\$41.95
GHSWL 17" x 35"	\$51.99



Bloodborne Compliance Wall Chart

Designed to educate and encourage employee compliance with OSHA's Bloodborne Disease Standard, this chart employs pictorials and written text in a clear and concise format. This laminated poster should be displayed in all workplaces to detail measures taken to protect your employees.

BCWC 13" x 19" \$41.95

POSTERS





HIPAA Compliance Wall Chart

This comprehensive HIPAA Wall Chart is a great way to keep your office staff aware of the most important aspects of the HIPAA regulations. It is laminated, and divided into sections in accordance with the regulations. A must for every office!

HWC 17" x 23"

\$45.95



Wall Chart Combo

No office should be without these wall charts, which all employers agree make the job of training simpler and faster. This product includes our three most popular wall charts:

- GHS Hazardous Materials Wall chart 17" X 35"
- HIPAA Compliance Wall chart 17" X 23"
- Bloodborne Compliance Wall chart 13" X 19"

WC3 \$102.99

POSTERS



Labor Law Poster

Federal law mandates that the Labor Law Poster must be displayed in the workplace in view of all employees. Employee information notices required are:

- Fair Labor Standard Act/Minimum Wage
- Job Safety and Health: It's the Law
- Family Medical Leave Act
- **Equal Employment Opportunity**
- **Employee Polygraph Protection**
- Uniformed Services Employment and Reemployment Rights Act

This comprehensive all-in-one laminated poster includes all required information.



\$46.95



Fire Safety Wall Poster

Once started, a fire doubles in size every 19 seconds! This high quality laminated poster serves as a reminder for all employees of how to properly respond to a fire in the workplace as well as proper use of a fire extinguisher. In addition, it helps serve as proof that fire safety training has been provided.

FSP 11" x 17" \$36.99



First Aid Response Poster

This large colorful poster describes proper first aid response in the workplace and helps serve as proof that employees have been provided first aid information. The poster is carefully organized by type of emergency medical situation and will serve as a valuable reference for all employees.

FAR 22" x 26" \$37.99



Biohazard Warning Labels

The Bloodborne Pathogens Standard requires the use of these labels.

BWL2	2"x 2" Labels 25 pack	\$17.95
BWL21	2" x 2" Labels 100 pack	\$43.99
BWL4	4" x 4" Labels 25 pack	\$20.95
BWL41	4" x 4" Labels 100 pack	\$54.95
BWL4W	4" x 4" Labels (waterproof) 25 pack	\$22.95
WBWL10	3" x 3" Labels (waterproof) 10 pack	\$28.99
WBLWL25	3" x 3" Labels (waterproof) 25 pack	\$44.99



Radiation Caution Labels

All radiographic equipment must be identified with this label.

RCL	1 ^{1/2} " x 4" Labels	
	5 pack	\$11.95







GHS Chemical Product Labels

These water resistant GHS chemical labels are color coded and allow for compliance with the new Globally Harmonized System for Hazard Communication.

GHSC	2 ^{1/2} " x 2 ^{1/2} " Labels 25 pack	\$19.95
GHSC100	2 ^{1/2} " x 2 ^{1/2} " Labels 100 pack	\$51.99
GHCL	4" x 4" Labels 25 pack	\$26.99
GHCL100	4" x 4" Labels 100 pack	\$71.95
WGHS10	3" x 3" Labels (waterproof) 10 pack	\$28.95
WGHS25	3" x 3" Labels (waterproof) 25 pack	\$44.95



OSHA Compliance Labeling Kit

Various sized biohazard and radiation caution labels are combined with a hazardous materials wall chart, and labeling instructions to assist your office in meeting OSHA requirements for labeling. Toll-free telephone and online technical support included.

•	1	9" x 25"	GHS Hazardous Materials Wall Chart
•	40	2.5" x 2.5"	GHS labels
•	8	4" x 4"	GHS labels
•	20	2" x 2"	Biohazard labels
•	10	4" x 4"	Biohazard labels
•	5	1.5" x 4"	Radiation labels

CLK	\$133.95
-----	----------



Variety Pack of Labels

This variety pack offers various sizes of our chemical, biohazard and radiation labels. The packet contains over 80 of our most popular labels at a great value price.

•	40	2.5" x 2.5"	GHS labels
	_		

• **8** 4" x 4" GHS labels

20 2" x 2" Biohazard labels
 10 4" x 4" Biohazard labels

• **5** 1.5" x 4" Radiation labels

V180 \$61.95



Standard Precautions Label

Designed to protect you and your employees, these bright, adhesive backed labels should be displayed in all treatment areas. They will reinforce the most important part of your exposure control plan.

UPL 5 1/2" x 8" labels 5 pack **\$13.95**



STOP! Wash Hands

These adhesive backed labels should be displayed throughout your office. Attractive Black/Red/White design.

SWHL 5 1/2" x 8" labels 5 pack **\$24.95**

HANDWASHING TECHNIQUE Use continuously running v Use a generous amount of soap. Apply with vigorous contact on all surfaces of hands. Wash for a minimum of 20 seconds. 5. Clean under and around 6. Keeping your hands down rinse them well with warm running water. Avoid splashing.

Dry well with paper towe Use a towel to turn the

10. Discard the towels into a bag provided for that purpose



These adhesive backed labels should be displayed throughout your office. Attractive Black/Red/White design.

HWTL 2 3/4" x 4" labels 5 pack

\$14.95



Handwashing Technique (English/Spanish)

The Centers for Disease Control states that handwashing is one of the best ways to prevent the spread of disease. These bilingual labels will serve as a reminder to all staff members of the importance of handwashing.

HWTL-B 6" x 6" labels 2 pack

\$15.95



Laser Warning Sign

Many offices utilize a laser for various surgical procedures in the office. It is required that you place a "laser in use" warning sign in each room that the device is operated in. This durable acrylic sign meets all requirements.

LWS 10" X 7"

\$29.95



Medical Gas Warning Sign

According to established guidelines, you must have a proper medical gas warning sign in the area where your nitrous oxide, nitrogen or oxygen tanks are stored. This durable plastic sign has pre-drilled mounting holes and will allow you to be in full compliance.



Cough Etiquette Sign

According to Centers for Disease Control and Prevention Guidelines, signs must be posted at entrances of healthcare facilities with instructions to patients who may have symptoms of respiratory infection. This durable plastic sign has pre-drilled mounting holes and is designed to fulfill all requirements.

CEP 14" × 22"	\$30.99
CEPS 9" x 11"	\$20.99

Emergency Signs - Glow-In-The-Dark

OSHA requires that all "emergency exits," "exits," and "non-exits" be marked with clear, visible, illuminated signs. These lightweight signs glow in the dark for up to 8 hours. All signs meet OSHA & NFPA requirements.







Caution Radiation Sign

A sign indicating the use of x-rays should be placed in areas of possible exposure. This plastic sign comes pre-drilled with mounting holes and will assist you in complying with your states radiographic regulations.

\$30.99 **CRS** 10" x 7"





Biohazard Storage

These magnetic labels allow you to designate refrigerators for biohazard (red) or food (green) storage. Specify red or green.





These adhesive labels are perfect for placement on cupboard doors, refrigerators or freezers which contain potential biohazards.

\$15.99 4^{1/2}" x 4^{1/2}" 5 pack **BSLA**



"Allergic To" Labels

These labels track allergies and other 'alert' conditions. They are pressure sensitive and the fluorescent chartreuse color attracts attention.



Medical Alert Labels

Available in two sizes, these red and white pressure sensitive labels are designed for labeling charts, x-rays and treatment correspondence.

MALL	6 ^{1/2} " x 1" 50 per roll	\$19.95
MALS	1 ^{1/2} " x 7/8" 100 per roll	\$17.95



Variety Pack of Infection Control Labels

Our most popular infection control labels are included in this pack. Adhesive backed, durable and water resistant.

VPL5 5 pack	\$31.95
--------------------	---------





HIPAA Alert Labels

These colorful attention getting labels are cling-backed and stick to any surface, but can be easily removed and reused. They are designed to serve as a constant reminder for employees to follow HIPAA regulations. We recommend placing them at key points in the office such as operatories/treatment rooms and the business office.

HAL5	4" x 6" labels 5 pack	\$20.99
HAL10	4" x 6" labels 10 pack	\$35.95



HIPAA Patient Consent Forms

Refill pad of patient consent forms.

PCF Pad of 50	\$10.99
PCFS Pad of 50 (Spanish)	\$10.99



Master Spill Kit

This kit combines all of the Biological, Chemical and Mercury Spill Kit Materials.

The complete kit includes:

- BioSponge® powder
- ChemSponge® powder
- MercSponge® powder
- 1 Mercury magnet
- 1 Mercury scrubber
- 1 Pair reusable nitrile gloves
- 1 Pair safety goggles
- 1 Scooper and pan
- 3 Masks
- 5 Biohazard warning labels
- 3 Red bags for disposal of biological waste
- 3 black bags for disposal of chemical waste

MSK	\$139.95
SPR Scooper & Pan Refill	\$16.95

Mercury Spill Kit

Mercury hazards are eliminated with the use of this kit, which contains MercSponge® powder that binds mercury with a ferrous metal for easy pick up with an included magnet.

The complete kit includes:

- MercSponge® powder
- 1 Mercury magnet
- 1 Mercury scrubber
- 1 Pair reusable nitrile gloves
- 1 Pair safety goggles
- 3 Masks
- 3 Disposal bags



MESK		\$87.99
MER	MercSponge® refill (12 oz.)	\$45.95
MSR	Mercury Magnet & Scrubber	\$8.99

20 | Compliance Training Partners

SPILL KITS



Biological Spill Kit

Eliminates the hazards of blood and other body fluids spills. This kit contains BioSponge® powder that solidifies the spill, making clean-up quick and easy.

The complete kit includes:

- BioSponge® powder
- 1 Pair reusable nitrile gloves
- 1 Pair safety goggles
- 1 Scooper and pan
- 3 masks
- 5 Biohazard warning labels
- 3 Disposal bags



BISK		\$60.99
BIOR	BioSponge® refill (8 oz.)	\$28.99

Chemical Spill Kit

Designed to handle spills of potentially hazardous liquids (disinfectants, acids, developer, fixer, etc.), this kit includes ChemSponge® powder to easily contain and absorb chemical spills.

The complete kit includes:

- ChemSponge® powder
- 1 Pair safety goggles
- 1 Pair reusable nitrile gloves
- 1 Scooper and pan
- 3 masks
- 5 Biohazard warning labels
- 3 Disposal bags



снѕк		\$64.99
CEMR	ChemSponge® refill (16 oz.)	\$16.99

SPILL KITS



Chemo Spill Kit

This kit contains ChemoSponge® powder to manage chemotherapy medication spills.

The complete kit includes:

- ChemoSponge® powder
- 3 Gowns
- 3 Pairs of shoe covers
- 1 Pair safety goggles
- 6 Pairs of chemo gloves
- 3 Absorbent pads
- 1 Scooper and pan
- 3 Chemo masks
- 6 Yellow chemo disposal bags



KESK		\$92.95
CSP	ChemoSponge® refill (8 oz.)	\$28.99



Nitrile Utility Gloves

When cleaning instruments, disinfecting treatment rooms or working with chemicals such as acids or corrosives (disinfectants/ solvents/fixer), OSHA regulations require the use of this type of glove. These reusable nitrile gloves will help keep your office in compliance. Specify size, available in sizes XS (6) to XL (10) actual sizes are slightly larger than normal.

NUG1XS 1 pair pack	\$8.95
NUG1S 1 pair pack	\$8.95
NUG1M 1 pair pack	\$8.95
NUG1L 1 pair pack	\$8.95
NUG1XL 1 pair pack	\$8.95
*NUG12 12 pair pack	\$42.99

^{*}Specify size

Elbow Length - Available in M or L

NUGE1M 1 pair pack	\$22.99
NUGE1L 1 pair pack	\$22.99





OSHA and Infection Control Made Easy Online Training Program

OSHA requirements include an annual retraining session for all employees. This course will help fulfill these requirements and will update participants on the latest from OSHA, including the Globally Harmonized System (GHS) for Hazard Communication and the Bloodborne Disease Pathogens Standard. In addition, the course covers the Centers for Disease Control and Prevention Infection Control Guidelines.

Other topics covered include

- Means of egress
- Ionizing radiation
- Electrical safety
- Fire safety and first aid
- Hazardous materials
- Ventilation
- Recordkeeping
- OSHA inspections

Programs are per individual and include:

- Certificate of completion
- CEU certificate (Dental Clients Only)
- Toll-free telephone and online technical support
- Assistance with OSHA inspections



*No returns on Online Training

Includes OSHA Mandated Globally Harmonized System (GHS) Training!

OSHA DENTAL

3 CEU's for each person.

STR/VP1D STR/VP1DS (1 view for 1 per	Dental or Dental Spanish son and 1 certificate of completion)	\$46.99
STR/VP6D STR/VP6DS (6 views for 6 pe	Dental or Dental Spanish cople and 6 certificates of completion)	\$275.99
STR/VP10D STR/VP10DS (10 views for 10		\$449.99
STR/VP25D STR/VP25DS (25 views for 25	Dental or Dental Spanish people and 25 certificates of completion)	\$1074.99
STR/VP50D STR/VP50DS (50 views for 50	Dental or Dental Spanish people and 50 certificates of completion)	\$2099.99
STR/VP100D STR/VP100DS (100 views for 1		\$3999.99

OSHA MEDICAL

STR/VP1M STR/VP1MS (1 view for 1 per		\$46.99
	Medical or Medical Spanish cople and 6 certificates of completion)	\$275.99
	Medical or Medical Spanish people and 10 certificates of completion)	\$449.99
	Medical or Medical Spanish people and 25 certificates of completion)	\$1074.99
	Medical or Medical Spanish people and 50 certificates of completion)	\$2099.99
	Medical or Medical Spanish oo people and 100 certificates of completion)	\$3999.99

OSHA DENTAL CALIFORNIA

3 CEU's for each person.

STRC/VP1D STRC/VP1DS (1 view for 1 person		\$46.99
STRC/VP6D STRC/VP6DS (6 views for 6 pec	Dental or Dental Spanish pple and 6 certificates of completion)	\$275.99
STRC/VP10D STRC/VP10DS (10 views for 10 p	Dental or Dental Spanish people and 10 certificates of completion)	\$449.99
STRC/VP25DS	Dental or Dental Spanish people and 25 certificates of completion)	\$1074.99
STRC/VP50D STRC/VP50DS (50 views for 50 p	Dental or Dental Spanish people and 50 certificates of completion)	\$2099.99
	Dental or Dental Spanish 0 people and 100 certificates of completion)	\$3999.99

CALIFORNIA DENTAL PRACTICE ACT

3 CEU's for each person.

CDPA01 CDPA0S1 (1 view for 1		\$46.99
CDPA06 CDPA0S6 (6 views for 6		\$275.99
CDPA10 CDPAS10 (10 views for	Dental or Dental Spanish 10 people and 10 certificates of completion)	\$449.99
CDPA025 CDPAS25	Dental or Dental Spanish	\$1074.99
	25 people and 25 certificates of completion)	\$1074.99
(25 views for CDPA50 CDPAS50	25 people and 25 certificates of completion)	\$2099.99

ONLINE TRAINING PROGRAMS



Fire Safety & Disaster Training

OSHA requires emergency training and evacuation procedures for all offices. This program provides training on these important issues, to assure workplace compliance and safety. Completion of training exam yields 2 CEUs for 6 individuals.*

FSD/VP 6 views

\$73.50

*CEUs available for dental clients only.

ONLINE TRAINING PROGRAMS

HIPAA Compliance Made Easy Online Training Program

This course is designed for all members of your team. The course is designed to educate participants on the requirements for HIPAA compliance in their facilities.

Topics include:

- Privacy Rule
- Security Rule
- Breach Notification Rule
- Enforcement Rule
- Omnibus Rule
- HITECH Amendment
- Hardware/software components
- Enforcement and penalties
- Inspections

Programs are per individual and include:

- Certificate of completion
- CEU certificate (Dental Clients Only)
- Toll-free telephone and online technical support
- Assistance with HIPAA inspections



^{*}No returns on Online Training.

HIPAA DENTAL

2 CEU's for each person.

HIP1AVD HIP1AVDS (1 view for 1 pe	Dental or Dental Spanish rson and 1 certificate of completion)	\$46.99
HIP6AVD HIP6AVDS (6 views for 6 p	Dental or Dental Spanish eople and 6 certificates of completion)	\$275.99
HIP10AVD HIP10AVDS (10 views for 10		\$449.99
HIP25AVD HIP25AVDS (25 views for 25	Dental or Dental Spanish people and 25 certificates of completion)	\$1074.99
HIP50AVD HIP50AVDS (50 views for 50	Dental or Dental Spanish people and 50 certificates of completion)	\$2099.99
	Dental or Dental Spanish 00 people and 100 certificates of completion)	\$3999.99

HIPAA MEDICAL

HIP1AVM

Medical or

HIP1AVMS Medical Spanish \$46.99 (1 view for 1 person and 1 certificate of completion) **HIP6AVM** Medical or **HIP6AVMS** Medical Spanish \$275.99 (6 views for 6 people and 6 certificates of completion) HIP10AVM Medical or \$449.99 **HIP10AVMS** Medical Spanish (10 views for 10 people and 10 certificates of completion) HIP25AVM Medical or \$1074.99 **HIP25AVMS** Medical Spanish (25 views for 25 people and 25 certificates of completion) HIP50AVM Medical or \$2099.99 HIP50AVMS Medical Spanish (50 views for 50 people and 50 certificates of completion) HIP100AVM Medical or \$3999.99 **HIP100AVMS** Medical Spanish



Aquasafe® Dental Unit Waterline Testing System

The Importance of Testing Your Dental Unit Water

At Compliance Training Partners, we feel that quarterly testing of your dental unit water is a must. Why? All major equipment manufacturers recommend it and the CDC states that manufacturers recommendations must be followed. In addition the ADA recommends routine testing as does the EPA and OSAP. Not only is it truly the right thing to do, it is necessary to protect your business from liability. With the CDC stating that levels of bacteria must be below 500 Colony forming units (CFU) and the ADA saying they must be below 200 CFUs, it is important that you know the number of CFUs for each of your operatories.

This easy-to use kit provides in-office results and describes how to resolve a poor reading. In addition, the kit provides assistance with establishing systems for continued compliance.

Features include:

- In-office reporting
- Helps to meet CDC Guidelines
- Protects patients

WTK-A	1 Unit	\$24.95
WTK-B	4 Units	\$89.95
WTK-C	8 Units	\$159.95
WTK-D	12 Units	\$199.95
WTK-E	24 Units	\$372.95



MONITORING PROGRAMS

X-RAY Monitoring Service

Experts agree that there is no safe level of radiation and even the smallest dose may cause cancer or genetic damage. Any healthcare facility may be exposing staff to unsafe levels of radiation. That's why accurately measuring and recording radiation exposure over the long term is important for your employees and your practice. The Landauer Luxel Plus with state-of-the-art Optically Stimulated Luminescence (OSL) technology, has the highest sensitivity available today - 10 times the sensitivity of competitive dosimeters!

Features include:

- Fastest reporting in the industry—five day average turnaround
- A lifetime exposure record is archived for safekeeping
- Personalized badges
- Web-based reporting
- Automatic renewal program
- Protects pregnant workers

XXMBM	Monthly Badge Service	\$164.95
XXMBQ	Quarterly Badge Service	\$102.99
XMBF	Fetal Badge Service (7 months)	\$128.95

^{*}No returns on X-RAY Monitoring badges.



MONITORING PROGRAMS



Nitrous Oxide Monitor

Nitrous oxide levels should be maintained below a time weighted average (TWA) of 25 ppm in operating rooms and 50 ppm in dental treatment areas, according to OSHA regulations, and monitoring is recommended at least quarterly according to NIOSH (National Institute for Occupational Safety & Health). This service provides accurate, and affordable results and includes a mail-in envelope for sending monitor to our certified lab for analysis.

NOM1 1 Unit	\$102.99
NOM2 2 Units	\$189.95
NOM3 3 Units	\$269.95
NOM4 4 Units	\$339.95

^{*}No returns on Nitrous Oxide Monitors



Formaldehyde and Glutaraldehyde Vapor Monitor

This monitor can be used to measure personal exposure or room concentrations of both Formaldehyde and Glutaraldehyde. The monitoring badge will be accepted as accurate in any inspection or dispute because it is validated for accuracy and analyzed by our American Industrial Hygiene Association (AIHA) accredited laboratory. Each employee who uses Formaldehyde and/or Glutaraldehyde as a regular part of their job, including handling, packaging or mailing of biopsy specimens must have their exposure monitored.

FMP1 1 Ur	nit	\$102.99
FMP2 2 Ur	nits	\$189.95
FMP3 3 Ur	nits	\$269.99
FMP4 4 Ur	nits	\$339.95

^{*}No returns on Formaldehyde and Glutaraldehyde Vapor Monitors.



SERVICES



CTP provides a complete solution to comply with federal, state and local laws regarding amalgam recycling. Your amalgam waste is recycled at a US EPA certified facility and we provide the required *annual proof of compliance for amalgam recycling.

- Choose a 2.5 or 5 Gallon Storage/Shipping Container
- Return Shipping Carton
- FREE On-Demand Pickup and Pre-Paid Shipping**
- Waste Recycled at a US EPA Certified Facility
- Compliance Certification
- FREE Online Infection Control/Waste Management Course (1 CEU) a \$100 Value!



** Free shipping only within the continental US (container must be returned within 12 months from date of purchase)



ARPS	2.5 Gallon Package	\$306.99
ARPL	5 Gallon Package	\$409.99

*No returns on Dispose Alloy™ Amalgram Recycling Programs.

Tooth Disposal System

Proper disposal of extracted teeth poses a problem for most dental practices. The CTP Tooth Disposal System consists of a half-gallon container that includes return and disposal at our EPA approved facility. The system allows for compliance with states' regulated waste disposal laws and ADA best practices.

\$143.99 **TDS**

*No returns on the Tooth Disposal System.







SDS Binder

OSHA requires you to maintain Safety Data Sheets (SDS) for all hazardous chemicals/materials in your facility. In general, every powder, liquid or cream in your office requires an SDS. This SDS Binder is designed to organize your SDS library in an OSHA compliant manner. It features a durable cover, heavy-duty D-rings, alphabetical tabs, and instructions for organization.

SDSB Binder \$49.95



Contaminated Instrument Kaddy-Small

This durable plastic kaddy is specifically designed to carry contaminated sharp instruments between treatment areas and the sterilization area, as required by OSHA. It has a handy attached carrying handle and is affixed with the universal biohazard symbol. Each operatory or treatment room should have a closable container such as this to transport used/contaminated instruments to the sterilization area.

SK1 11^{1/2"} × 5" × 4" **\$29.95**

SAFETY / INFECTION CONTROL PRODUCTS



Contaminated Instruments Kaddy-Large

This sturdy red plastic container is designed to carry up to 3 large instrument cassettes containing contaminated instruments from the operatory to the sterilization/instrument processing area, as required by OSHA. The universal biohazard symbol is prominently placed on the outside of the container.

SK2 17" x 12 ^{1/2} " x 4 ^{1/2} "	\$41.95
--	---------



Adjustable Arm Safety Glasses

Offering a snug fit, these lightweight and durable fog-free safety glasses are designed for comfort and safety. Made of poly-acrylic safety glass with adjustable arms. SPECIFY: Red, Black, or Blue.

ASG	1 pair	\$10.95
-----	--------	---------



Fog Free Safety Glasses

These durable hi-tech design glasses ensure comfort and styling with adjustable arms for a precise fit. They are made of lightweight poly - acrylic safety glass, with fog-free, antiscratch, anti-static lenses and stylish multi-colored frames.

FSG	1 Pair	\$12.95

SAFETY / INFECTION CONTROL PRODUCTS



Side Shields

These durable side shields slip on to your glasses, providing the protection required by OSHA regulations.

SS1	1 pair pack	\$8.95
SS12	12 pair pack	\$20.99



Vented Safety Goggles

These plastic goggles are designed to fit over most personal eyewear. They are vented for free air flow, fog free, and provide protection against spray, splash or projectile injury.

VSG	1 Pair	\$11.95
-----	--------	---------



Disposable Ear Plugs

When noise levels in the workplace reach or exceed 85 decibels, for 8 hours or more, a "Hearing Conservation Program" is required by OSHA. These comfortable foam latex-free ear plugs help meet this requirement.

DEP24	24 pair	\$31.95

LaserShields® Protective Eyewear

The human eye can be permanently injured from exposure to laser energy. Retinal damage occurs from exposure to 400-1400 nm, while corneal or lens damage occurs from 190 nm-400 nm and 1400-1000 nm. For this reason, OSHA requires the use of laser protective eyewear for all employees exposed to laser energy.

All LaserShields® are made in the USA and come with a lifetime warranty.

LaserShield® Universal

This attractive design provides a universal fit that is comfortable worn alone or over prescription glasses. Available in black only.

\$236.95 LPE1 1 pair



LaserShield® Magnification

For many laser procedures, clinician's desire increased magnification. The LPE 2 features not only an attractive and comfortable design, but is fitted with a 2.5X magnifying insert.

\$308.99 LPE2 1 pair



Choosing an Eyewash

OSHA requires an eyewash to be located "within the work area for emergency use." ANZI-Z358.1-2004:6.4.2 states "It is the installer's responsibility to ensure that combination units shall be in accessible locations that require no more than 10 seconds to reach." Water temperature delivered by emergency equipment should be "tepid". Tepid is defined to be between 60°F (16°C) and 100°F (38°C).

To accomplish this, you should always purchase an eyewash with an "eliminator valve", unless you have the eyewash attached to a faucet that is ONLY used for eyewash purposes and the water is pre-adjusted to only allow "tepid" water. Wall mounted models are a good choice when you desire a dedicated eyewash station. Portable eyewashes provide a simple solution if you have a mobile clinic operation.



Emergency Eyewash Station

This unit features an automatic shut-off valve and easily attaches to standard faucets with a removable aerator. This device is designed to meet all OSHA requirements and ANSI standards.

EESE	Emergency Eyewash Station w/Eliminator Valve	\$119.99
EES	Emergency Eyewash Station	\$102.99



Emergency Eyewash Station Angled

This unit features an automatic shut off valve and easily adapts to goose neck faucets with a removable aerator. This unit meets all OSHA requirements and ANSI standards.

EESEA	Emergency Eyewash Station w/Eliminator Valve	\$184.99
EESA	Emergency Eyewash Station Angled	\$142.99



Wall Mounted Eyewash Station

This durable unit is designed to function as a stand-alone unit and must be plumbed to a dedicated water line.

WMEU	\$307.99



Portable Eyewash Station

Most portable eyewash stations do not comply with OSHA regulations. This quality unit meets all requirements, providing adequate amounts of water to both eyes in the event of an emergency.

EWP	\$275.95
-----	----------



Eyewash Caps

These caps are designed to replace broken or lost caps on the CTP eyewash.

EESAC	Red 1"	\$11.95
EESC	Green 3/4"	\$11.95



Eyewash Sign

This large durable plastic sign draws attention to the location of your eyewash station and meets all OSHA requirements for eyewash signage.

ESP	11" x 7"	\$28.95
-----	----------	---------



Eyewash Label

This adhesive backed label mounts securely to walls or cabinets, and meets OSHA requirements for eyewash signage.





Eyewash Inspection Tags

OSHA regulations state that each eyewash station in your facility must be inspected weekly. These waterproof tags are designed to be attached directly to the eyewash and provide ample space to record your weekly inspections. Includes 5 labels and attachments.

EWIT \$28.99



Eyewash Adapters

These adapters allow attachment of the CTP eyewash to almost any faucet. Call our technical services department for assistance in choosing the correct adapter. Size must be specified.

EA	\$20.99 ea
----	-------------------



Eliminator Valve Adapter

OSHA inspectors have the authority to cite and fine workplaces where the possibility of scalding exists. If your eyewash unit is connected to a sink with both hot & cold running water, you must install a device to regulate the water temperature. This Eliminator Valve complies with OSHA requirements when attached to a conventional eyewash station.

EVA	\$47.99



CPR Pocket Microshield

This latex-free CPR Microshield meets today's health concerns. The soft barrier membrane conforms to the face and has a unique anti-flex one way valve to prevent contact with oral secretions. The bite block valve allows a positive airway in the head-tilt/chin-lift CPR technique. The kit also includes safety gloves and antiseptic towelettes.



Single Handed Needle Recapper

Our needle recapper is designed to minimize risk of accidental needle sticks. The design adapts to any needle type and is useful in every operatory or treatment room.

SHR1	1 unit	\$41.99
SHR6	6 units	\$184.99



Scalpel Blade Remover

This "Blade Mate" remover is designed to eliminate scalpel blade cuts. The blades drop safely into the sealed reservoir (stores approximately 100 blades). When full, simply drop into your regular sharps container.

SBR1	1 unit	\$10.99
SBR6	6 units	\$33.99
SBR12	12 units	\$51.99



Lab Case Disinfection Labels

The Centers for Disease Control (CDC) states that all outgoing dental lab cases must be disinfected and labeled as such. These adhesive backed labels are designed to comply with the CDC guidelines and provide reassurance to those individuals who may handle these lab cases, on the receiving end.

LCD100 1 ^{1/2} " x 3/4" Roll of 100	\$28.95
LCD500 1 ^{1/2} " x 3/4" Roll of 500	\$130.99

Sterilization Pouch Stamp and Pad

According to CDC infection control guidelines, sterilization packaging must have, at a minimum, "the date ...and device used, on the outside of the packaging material." This stamp is designed to fulfill these requirements by combining it with non toxic ink pads that will withstand the heat, pressure and moisture levels of an autoclave or dry heat sterilizer. Assigning only one color per autoclave allows for easy recall of instrument packages in the event of a failed spore test. Five colors of ink are available.

SPP1	1 stamp + 1 black ink pad	\$25.99
SPP2	2 stamps + 1 black ink pad + 1 red ink pad	\$45.95
ICS	Sterilization date stamp	\$10.95
NTPN	Black colored ink pad	\$16.95
NTPR	Red colored ink pad	\$16.95
NTPB	Blue colored ink pad	\$16.95
NTPG	Green colored ink pad	\$16.95
NTPP	Purple colored ink pad	\$16.95





First-Aid Safety Kit

This first-aid kit is designed specifically for your employees. All basic first-aid supplies required for workplace compliance are included in this durable kit.

FASK \$92.95	
--------------	--



Laundry Bag & Stand

OSHA's Bloodborne Pathogens Standard mandates that "contaminated" laundry be placed in bags that are marked with a Biohazard symbol. This sturdy washable fluid resistant bag features a nylon draw cord, attached handles and is imprinted with the Biohazard symbol.

LB	Laundry Bag	\$43.95
LBS	*Laundry Bag Stand	\$32.95
LBC	Bag & Stand Combo	\$66.99

^{*}Stand is designed to be used with LB Laundry Bag only.



Fire Extinguisher - ABC Rated

This commercial device is designed for use in areas of up to 3,000 square feet and meets all requirements for any health facility. It can be used for paper, gas, wood, flammable liquid or electrical fires.

RFE	\$102.95
-----	----------



AquaSafe® Evacuation System Cleaner

A bacterial-based cleaner which is safe for equipment, the environment and staff.

- Bacterial-based cleaner provides residual over-night debris removal from cuspidor drains and suction systems
- Works under all conditions, even in cold water
- Neutral PH, safe for amalgam separators and traps
- Aquasafe® leaves a fresh and clean scent at the traps and throughout the entire evacuation system
- Environmentally friendly 6 non-pathogenic bacteria provides safe and natural cleaning power
- AguaSafe® ensures a level of protection that cannot be matched by other evacuation system cleaners that simply mask odors.

Incredibly Economical-256 one-quart treatments per gallon!





AguaSafe® Dental Unit Waterline Cleaner

A once-a-week protocol for cleaning dental unit waterlines. The hydrogen peroxide formulation cleans and controls accumulated deposits in waterline tubing without the use of harsh chemicals. Ready to use, no mixing and no dillution needed.

AWC 16.9 oz. bottle \$16.99



Infectious Waste Bags

These sturdy high quality red bags are imprinted with the universal Biohazard symbol making them safe for regulated medical waste disposal in all States. Available in three sizes.

Certified for Florida Disposal Requirements.

IWB4	4 gal. 25 per roll	\$15.95
IWB10	10 gal. 25 per roll	\$16.95
IWB30	30 gal. 20 per roll	\$19.95



FAQ

What is the best way to bring our office into compliance?

The comprehensive CTP OSHA Compliance Program is simple to follow and covers all aspects of the OSHA Act as well as CDC Infection Control Guidelines. The HIPAA Compliance Program will allow you to quickly achieve compliance in this important area and includes all required written policies.

We have implemented the CTP Compliance Program in our office. What other training programs are available?

CTP offers a variety of online training programs addressing HIPAA Compliance, annual required OSHA staff training, infection control, needlestick exposure protocol, the Bloodborne Pathogens Standard and recordkeeping requirements. Continuing education units (CEU's) are available for most programs.

Where do we find safety products that meet OSHA requirements?

CTP offers a full line of safety products which will allow you to comply with OSHA regulations. These include: eyewash stations; water testing programs; spill kits; fire extinguishers; safety glasses; nitrile gloves; signs; and various other required safety products.

What about infection control products?

We strive to bring you the best infection control products so that you can provide the safest environment possible for your patients and staff.

What do we do when OSHA or HIPAA regulations change?

At CTP, we constantly monitor OSHA, HIPAA and infection control regulations. We strongly recommend our upgrade subscription service, which will keep you informed of any changes to these regulations.

What is your return policy?

If a product does not meet your needs, simply call within 30 days for a return authorization number. This number must be clearly written on the outside of the return box. Shipping and handling charges are not refundable, and a restocking fee may apply. Training materials are not returnable if opened.

HOW TO ORDER

Our Products are available from quality Dental and Medical Distributors. To order, contact your Distributor, or Compliance Training Partners by phone or fax.

Phone: 888.388.4782 248.919.5528 Fax:

Delivery Terms:

All orders are subject to a shipping and handling

charge. Orders are shipped UPS ground.

Price Policy:

While every effort has been made to provide you with the lowest possible prices, occasionally unanticipated manufacturer increases make it necessary to change the prices listed in this catalog. We regret that price increases must sometimes

occur.

Back-orders:

Occasionally because of increased demand or vendor delays, it is necessary to back-order an item. You will be notified of any such delays along with an

anticipated ship date.

Returns and Exchanges:

Please inspect your shipment upon arrival. If you need to return an item, please call our Customer

Service representative to obtain a return

authorization number. Returned products must have been purchased within the previous 30 days and a 15% restocking fee will be applied. We ask that all goods be in resalable condition to receive full credit. *Some products are non-refundable, see product

description for details.

Mailing Address:

20793 Farmington Road, Suite LL Farmington Hills, Michigan 48336



TDAINING

OSHA COMPLIANCE

AUDIT CHECKLIST

Are employees provided annual training on all applicable OSHA regulations including Hazard Communications, Bloodborne Pathogens, and TB? Are new employees provided training before performing duties? Are training records kept for a minimum of 3 years? Are all safety practices and procedures updated annually?
HAZARD COMMUNICATION Is a written hazard communication program customized, reviewed, updated annually and accessible to all employees? Are SDS Sheets on file? Has a chemical inventory list containing all hazardous materials been created? Are all hazardous products labeled properly? Do all employees understand the emergency spill procedures? Is there a spill kit available? Have employees been trained on use of the eyewash station? Is the eyewash station labeled and functioning properly?
BLOODBORNE PATHOGENS Are waste containers in operatory or treatment room labeled with a biohazard label? Are waste containers covered or have a drop through opening? Are employees offered the Hepatitis B vaccination free and within 10 days of task assignment? Does a written exposure control plan exist and is it accessible to all employees? Is the plan reviewed and updated at least annually? Is all food and drink kept out of clinical and laboratory areas? Is handwashing performed before and after treating patients? Are all CDC Infection Control Guidelines for infection control being followed?
GENERAL HOUSEKEEPING, STORAGE, WALKING SURFACES, MEANS OF EGRESS Are all areas of the office clean, uncluttered, and sanitary? Are all passageways and aisles marked and free from obstruction? Are lighted or glow in the dark exit signs in place? Are there at least 2 means of egress (exits)? Does the office have proper ventilation and air quality control (HVAC fan on during working hours, filters changed regularly)? Are electrical and medical gas closets free from stored items?

© 2020 Compliance Training Partners

Are all the electrical devices properly grounded (3 prong plug)? Are all electrical outlets in kitchens, bathrooms, labs and areas near water on a GFI circuit? Have you checked that extension cords are not in use? Are all cords and plugs free of visible wear?
MEDICAL EMERGENCIES, SAFETY & FIRST AID Is at least one person on each shift trained in First Aid and Cardiopulmonary Resuscitation?
Do all staff members know the proper post exposure procedure? Is the eyewash station being inspected and tested weekly? Are monthly inspections of the facility being conducted, including the first aid kit and fire extinguisher?
Is there an eyewash station within 25 feet or 10 seconds of hazardous chemicals? Is a fire extinguisher available? Have employees been trained on proper use of the fire extinguisher? Do stairs have a handrail with adequate headroom and lighting?
GRINDING EQUIPMENT & COMPRESSED GASES Is grinding equipment in good and safe condition with guards and shields? Are the gas cylinders (nitrous oxide/oxygen) properly chained or cabled to a wall? Are gas cylinders properly labeled? Are employees trained on compressed gas safety?
EMPLOYEE FILES / RECORD KEEPING Do employee files contain medical reports of workplace accidents or injuries? Do employee files contain vaccination history? Do employee files contain hepatitis B vaccination record or declination form? Are medical records maintained for the duration of employment plus 30 years?
PERSONAL PROTECTIVE EQUIPMENT (PPE) Is proper personal protective equipment provided and maintained by the employer? Are gloves and masks changed after each patient? Are employees trained to put on and remove PPE? Are protective eyewear/shields worn? Are long sleeve lab coats and/or gowns worn and changed when visibly soiled and at the end of the day?
Are nitrile or synthetic gloves provided to those who have sensitivity to latex? Is handwashing performed before and after gloving? During laser procedures, is laser protective eyewear available and used? During bonding/light curing procedures, are protective glasses or shields used?

	POSTERS AND SIGNS PROPERLY DISPLAYED
	Is the Federal Minimum Wage poster displayed?
	Is the OSHA 3165 poster displayed?
	Is the Equal Opportunity Employer poster displayed?
	Is the Family Medical Leave Act poster displayed (50 or more employees)?
	Is the Uniformed Service Employment and Reemployment Rights Act poster displayed?
	Is the Employee Polygraph Protection Act poster displayed?
	Is there an emergency evacuation plan?
	Are all state specific posters displayed where required?
	Is a housekeeping schedule posted?
	LAUNDRY
	Is soiled laundry placed in marked bags or containers labeled with the biohazard symbol?
	Is protective clothing either laundered in-house or by a professional service?
	is protective clothing either laundered in house of by a professional service.
	SHARPS
	Is there a sharps log available for documenting exposure incidents?
	Are sharps containers readily accessible in the area of use?
	Are filled containers transported by a biohazardous waste hauler?
	Are employees using a singled handed needle recapping technique or a needle recapping device?
	Are filled sharps containers picked up at the time interval mandated by your state?
	Are reusable contaminated sharps transported in a closed leak-proof container?
	NON-SHARP REGULATED WASTE
	Is saturated gauze, cotton and other absorbent waste placed in a red bag?
	Is human tissue placed in a red bag?
	Is regulated waste placed in closable, leak proof, biohazard labeled containers for pick up?
	MONITORING
	Are exposed employees wearing radiation dosimeters as required?
шШ	If nitrous oxide is used, are nitrous monitors used quarterly as recommended?

COMPLIANCE CHECKLIST

Does Your Dental Facility Have What it Needs to be in Compliance?

Required	Recommended	Product Name	Code
•		OSHA Compliance/Infection Control Program-Dental	DCPE
•		OSHA Compliance/Infection Control Program-Medical	MCPE
		HIPAA Compliance Program-Dental	HIP
•		HIPAA Compliance Program-Medical	HIPM
		OSHA/Infection Control Annual Online Training Program-Dental	STR/VP6D
•		OSHA/Infection Control Annual Online Training Medical	STR/VP6M
		Biohazard Warning Labels	BWL2
	•	Bloodborne Pathogen Poster	BCWC
•		Compliance Labeling Kit	CLK
•		Cough Etiquette Sign	CEPS
•		CPR Microshield	CPM
	•	Dental Unit Waterline Testing System	WTK-A
•		Dispose-Alloy™ Amalgam Recycling Program	ARPL
		Eyewash Inspection Tags	EWIT
		Eyewash Sign	ESP
		Emergency Eyewash Station	EESE
		Federal Labor Law Poster	LLP
		Fire Extinguisher	RFE
		Fire Extinguisher Sign	FES
	•	Fire Safety and Disaster Online Training Program	FSD/VP
		First Aid Kit	FASK
		Fluid Resistant Laundry Bag with Stand	LBC
		Formaldehyde and Glutaraldehyde Vapor Monitor	FMP1
		Gloves-Nitrile Utility	NUG1M
		Glow-In-The-Dark Exit Sign	EXS
		Lab Case Disinfectant Labels	LCD100
		Laser Safety Eyewear	LPE1
		Master Spill Kit	MSK
		Medical Gas Warning Sign	MGWS
	•	Needle Recapper (Single-Handed)	SHR1
	•	Nitrous Oxide Monitor	NOM1
•		Portable Eyewash Station**	EWP
		Radiation Caution Labels	RCL
		Safety Eyewear	FSG
		Scalpel Blade Remover	SBR1
		SDS Binder	SDSB
		Sharps Kaddy-Small	SK1
		Slip-On Side Shields	SS12
		Sterilization Pouch Stamp and Pad	SPP1
		Tooth Disposal System	TDS
		X-Ray Monitoring Badge*	XXMBQ

^{*}X-Ray Monitoring is required in some states, but recommended in all.

^{**} For Mobile Units



CONTROL CHECKLIST

Y N	Is PPE removed before leaving the work area? Is hand hygiene performed immediately after removal of PPE?
	MASKS, PROTECTIVE EYEWEAR AND FACE SHIELDS Do employees wear surgical masks during procedures likely to generate splashes or sprays of blood or saliva? Do employees wear eye protection with solid side shields or a face shield during procedures that are likely to generate splashes or sprays of blood or saliva? Do employees change masks between patients and during patient treatment if the mask becomes wet or visibly contaminated?
	GLOVES Do employees wear gloves for potential contact with blood, body fluids, mucous membranes, non-intact skin or contaminated equipment? Do employees change gloves between patients? Do employees wear puncture and chemical-resistant utility gloves when cleaning instruments and performing housekeeping tasks involving blood or OPIM (other potentially infectious materials)? Do employees remove gloves that are torn, cut or punctured and perform hand hygiene before putting on new gloves?
	PROTECTIVE CLOTHING Do employees wear protective clothing (e.g. reusable or disposable gown, lab coat, or uniform) that is long sleeved and covers personal clothing as well as skin (e.g. forearms) likely to be soiled with blood, saliva or OPIM? Do employees change protective clothing if visibly soiled and immediately or as soon as possible if penetrated by blood or OPIM?
	RESPIRATORY HYGIENE/COUGH ETIQUETTE Are signs posted at entrances with instructions to patients with symptoms of respiratory infection? Are tissue and no-touch receptables for disposal of tissue available? Are resources available to perform hand hygiene in waiting areas? Are face masks available for coughing patients and other symptomatic individuals who enter the office? Are all employees educated on recognition of signs, symptoms and transmission of TB? Is a written TB infection control plan available to all employees? Has baseline TB testing (TST) been performed on all employees who may have contact with possible TB active patients?

© 2020 Compliance Training Partners

HAND HYGIENE
Is hand hygiene performed when hands are visibly soiled; before and after each patient; before and after gloving; and whenever touching contaminated surfaces?
Is a surgical scrub performed before putting on sterile surgical gloves, which must be used in all surgical procedures (e.g. biopsy, periodontal surgery, apical surgery, implant surgery, and surgical extractions)?
SHARPS SAFETY
Are engineering controls used to prevent injuries (e.g. needle re-capping device, scalpel blade remover)?
Are work practice controls used to prevent injuries (e.g. one-handed scoop technique, not breaking or bending needles)?
Do employees use either one-handed scoop technique or a mechanical device designed for holding the needle cap when re-capping needles?
Are sharps disposed of in a puncture resistant sharps container located as close as possible to the area in which items are used?
Are reusable contaminated sharps transported in a closed leak-proof container?
SAFE INJECTION PRACTICES
Are injections prepared using an aseptic technique, in a clean area free from contaminants or contact with blood, body fluids or contaminated equipment?
Are needles and syringes used for only one patient?
Is the dental cartridge syringe appropriately cleaned and heat sterilized before use on another patient?
Is the rubber septum on a medication vial disinfected with alcohol before piercing?
Are medication containers (single and multi-dose vials, ampules and bags) entered with a new needle and a new syringe?
Are single-dose vials, ampules and bags or bottle of intravenous solutions used for only one patient?
Leftover contents of single-dose vials, ampules and bags of intravenous solutions are not combined for later use.
When using multi-dose medication vials:
Are multi-dose vials dedicated to individual patients whenever possible?
Are multi-dose vials which are used for more than one patient kept in a centralized medication area?
Are multi-dose vials dated when first opened and discarded within 28 days unless the manufacturer specifies a shorter or longer date for the opened vial?
Are fluid infusion and administration sets (i.e. IV bags, tubing and connections) used for one patient only?

	INCORPUMENT COURSE TO A TION AND DISINEFCCTION OF DATIENT CARE ITEMS
	INSTRUMENT STERILIZATION AND DISINFECTION OF PATIENT-CARE ITEMS
	Is the instrument processing area separated into 4 sections: A) Receiving, cleaning and
	decontamination, B) Preparation/packaging, C) Sterilization and D) Storage?
	Are reusable critical and semi-critical dental items and devices cleaned and heat sterilized
	according to the manufacturer's instructions before using on patients (e.g. high speed
	handpieces, low speed motors and handpiece components, endodontic instruments, air-
	water syringe tips)?
	Are single-use devices discarded after one use and never used for more than one patient?
	Are work practice controls that minimize contact with sharp instruments used and
	appropriate PPE worn if manual cleaning is necessary (e.g. puncture resistant utility
	gloves)?
	Are items thoroughly cleaned and visually inspected for residual contamination before
	sterilization?
	Is an enzymatic cleaner or detergent used for pre-cleaning and discarded according to the
	manufacturer's instructions?
	Are instruments appropriately packaged for sterilization after pre-cleaning?
	Is a chemical indicator used internally and externally on all sterilization packaging?
	Are FDA-cleared medical devices designed for sterilization (autoclaves and dry heat
	sterilizers) used according to the manufacturer's instructions?
	Is a biological indicator used at least weekly and with every load containing implantable
	devices?
	Are sterile packages labeled, at a minimum, with the sterilizer used and the date of
	sterilization?
	Are sterilization records maintained (i.e. mechanical, chemical and biological) in
	compliance with state and local regulations?
	Are sterile packages inspected for integrity and, are compromised packages reprocessed
шш	before use?
шш	After sterilization, are dental devices and instruments stored in such a manner that sterility
	is not compromised?
шш	Are reusable, heat sensitive, semi-critical items that cannot be replaced by heat stable or
	disposable high level disinfected according to the manufacturer's instructions?
шш	Are X-ray sensors heat sterilized between patients and covered with a FDA cleared
	barrier? If this is not done they are cleaned and disinfected between patients with an EPA
	registered intermediate-level disinfectant, then covered with and FDA cleared barrier.
	Are X-ray sensor holding or positioning devices heat sterilized or high-level disinfected
	between patients?

ENVIRONMENTAL INFECTION CONTROL
Are clinical contact surfaces either barrier covered or cleaned and disinfected after each
patient, using an EPA registered intermediate level disinfectant?
Are cleaners and disinfectants used according to manufacturer's instructions?
Is regulated medical waste handled and disposed of according to local, state and federal regulations?
Are burs, polishing points, rag wheels, etc., sterilized or disinfected between patients or disposable replacements used?
Is PPE used when handling items in the dental laboratory?
Are contaminated items (e.g. bites, impressions, models) disinfected using an EPA registered intermediate level disinfectant?
Are laboratory cases disinfected, and labeled as such, before being sent out?
HOUSEKEEPING SURFACES
Are walls, sinks and floors routinely cleaned with detergent and water or an EPA registered
disinfectant/detergent?
Are mops and cloths cleaned after use and allowed to dry?
Are fresh cleaning and disinfecting solutions prepared daily?
DENTAL UNIT WATER QUALITY
Dental unit waterline treatment products/devices are used to ensure that water meets EPA
regulatory standards for drinking water (<500 CFU/ml of heterotrophic water bacteria)?
Is sterile saline or sterile water used as a coolant/irrigant when preforming surgical
procedures?
Is dental unit water tested quarterly, as recommended, to ensure that it is below 500 CFU of heterotrophic water bacteria?
TRAINING
Is training conducted at least annually for all employees and immediately for new
 employees?
Has someone in the office been designated to be in charge of infection control?

DISCLAIMER OF WARRANTY

The employer is ultimately responsible for safety and compliance in their workplace and familiarity with all rules, laws and regulations that may apply. Compliance Training Partners, L.L.C. as well as its agents, dealers and distributors cannot be held responsible for any legal actions, citations, penalties or fines that may result from failure to comply COMPLIANCE TRAINING PARTNERS, LLC AS WELL AS ITS AGENTS, DEALERS AND DISTRIBUTORS HEREBY DISCLAIMS ANY AND ALL REPRESENTATIONS, CONDITIONS AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, ORAL OR WRITTEN, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS FOR THE PURPOSE. At no time shall COMPLIANCE TRAINING PARTNERS, LLC, ITS AGENTS, DEALERS OR DISTRIBUTORS, be responsible for consequential, incidental or special damages, whether for loss of profits or otherwise, or for damages for fundamental breach of contract or breach of a fundamental term. COMPLIANCE TRAINING PARTNERS, LLC'S AND ITS AGENTS, DEALERS AND DISTRIBUTORS obligation to Buyer for defective services is limited to a refund of fees actually received from Buyer. At no time shall COMPLIANCE TRAINING PARTNERS, LLC'S, AND ITS AGENTS, DEALERS AND DISTRIBUTORS liability for any service provided by and supplied by it exceed the purchase price of such service. Warranty claims shall be made upon occurrence. COMPLIANCE TRAINING PARTNERS, LLC AND ITS AGENTS, DEALERS AND DISTRIBUTORS shall have no liability and no warranty of any kind for any failure or breakdown of a service not provided or controlled by it and unless it is fully paid for the services. COMPLIANCE TRAINING PARTNERS, LLC AND ITS AGENTS, DEALERS AND DISTRIBUTORS shall have no liability and no warranty of any kind for any service used for any purpose which CTP did not fully supervise, participate and/or complete. Please see our website, www.hptcinc.com for full disclaimer.



CENEDAL

HIPAA COMPLIANCE

1 14	GENERAL
	The practice management software selected is HIPAA compliant and is the latest updated version.
	The HIPAA Coordinator has been appointed. This person may also serve as the Privacy Officer and/or Security Officer.
	A written training program has been developed for the training of all employees on all aspects of HIPAA as it relates to the office.
	Training logs/contracts have been developed to document that training has occurred. A competent and experienced IT organization that understands how to set up a secure
	system has been selected to set up and maintain the computer system. Sanction policies have been implemented which outline disciplinary actions based on the
	severity of the HIPAA violation.
	Any sanctions or actions imposed by the office on the employee have been documented, signed and dated. A copy is maintained in the employee file.
	PRIVACY
	The Privacy Officer has been appointed. The individual serves as the primary expert on all privacy matters and reports to the HIPAA Coordinator.
	Privacy training has been provided and documented for all new employees.
	A written Privacy Policy Plan exists and is reviewed/updated annually. The Notice of Privacy contains the necessary information to meet the requirements of the Privacy Rule (use and disclosure, patient's rights, covered entity's responsibilities).
	A written Notice of Privacy Policy is provided on or prior to the first delivery of service, prominently displayed and posted on the office's website.
	All patients have signed a written acknowledgment stating they have been offered a copy of the Notice of Privacy Policy.
	Authorization forms are used to obtain approval to use or disclose PHI for all non-TPO (treatment, payment, health care operations) related purposes.
	Employees are granted access to PHI based on their assigned job responsibility.
	A process for confidential communication with patients has been implemented. All employees have signed a Non-disclosure/Confidentiality Agreement.
	Business Associate Agreements have been signed by all business associates as defined by HIPAA law and the office maintains a list of all business associates.
	Business Associates and their subcontractors (should they utilize them) are aware of their "downstream" responsibility.
	A policy exists for Breach Notification of the patient, should a breach of their PHI occur.

© 2020 Compliance Training Partners

	SECU	RIT
	Techn	nical Safeguards
	There	are access control policies and procedures, which include:
		Unique User Identification - assign a unique name and/or number for identifying and tracking user identity.
		Emergency Access Procedure - establish and implement as needed, procedures for obtaining necessary E-PHI during an emergency.
		Automatic Logoff - implement electronic procedures that terminate an electronic session after a predetermined time of inactivity.
		Encryption and Decryption - implement a mechanism to encrypt and decrypt E-PHI.
		are audit controls which include: Hardware, software and/or procedural mechanisms ecord and examine activity in information systems that contain or use E-PHI.
		are mechanisms to authenticate E-PHI and to corroborate that E-PHI has not been d or destroyed in an unauthorized manner.
		entication - there are procedures to verify that a person or entity seeking access to is the one claimed.
	Integr	rity Controls - there are security measures exist to ensure that electronically mitted E-PHI is not improperly modified without detection until disposed of.
	Encry	ption - mechanisms to encrypt E-PHI when sending it electronically have implemented.
	PHYS	ICAL SAFEGUARDS
	There	are Facility Access Controls, which include:
		Contingency Operations - procedures that allow facility access in support of restoration of lost data in the event of an emergency.
		Facility Security Plan - policies and procedures to safeguard the facility and the equipment from unauthorized physical access, tampering and theft.
		Access Control and Validation - procedures to control and validate a person's access to facilities based on their role or function (visitor control and control of
		access to software programs for testing). Maintenance Records - policies and procedures to document repairs and modifications to the physical components of a facility which are related to security (hardware, walls, doors and locks).
		station Use - policies and procedures that specify the proper functions to be
	Work	rmed and the way those functions are to be performed. station Security - physical safeguards for all workstations that access E-PHI to ct access to unauthorized users.

	There	are Device and Media Controls, which include:
		Disposal - policies and procedures to address the final disposition of E-PHI and/or
		the hardware on which it was stored.
		Media Re-Use - procedures for removal of E-PHI from electronic media before the
		media is made available for reuse.
		Accountability - records of the movements of hardware and electronic media and
		any person responsible for the movement.
		Data Backup and Storage - a retrievable, exact copy of E-PHI when needed.
	ADMI	NISTRATIVE SAFEGUARDS
	There	are a Security Management Processes in place, which include:
		The Security Officer has been appointed. This person serves as the primary expert on all security matters.
		Risk Analysis was performed to see where PHI is being used and stored in order to
		determine all potential HIPAA violations.
		Risk Management - sufficient measures exist to reduce these risks to an appropriate level.
		Sanction Policy - a sanction policy exists for those employees who fail to comply.
		Information Systems Activity Reviews - regular reviews of system activity, logs
		audit trails, etc.
		ction Against Malware - procedures for guarding against, detecting and reporting ous software.
$\neg \neg$	Login	monitoring - monitoring of logins to systems and reporting of discrepancies is
	condu	
$\neg \neg$	Passw	ord Management - there are procedures for creating, changing and protecting
	passw	vords.
	Respo	onse and Reporting - identification, documentation and response to security
	incide	nts is performed.
	Contir	ngency Plan - there are accessible backups of E-PHI and there are procedures in
	place	to restore any lost data.
	Emerg	gency Mode - a system has been established to enable continuation of critical
	busine mode	ess processes for protection and security of E-PHI while operating in emergency

MISCELLANEOUS
Off-site, encrypted backups are performed regularly.
Business class HIPAA compliant firewalls are installed and functioning properly.
The network is scanned for ports that should be blocked.
If a wireless system is used, it is business class and encrypted.
Server data is encrypted.
The operating system software is tested annually.
The server has been physically secured in a locked room, cabinet, or cage.
The firewall has been set to only allow access to websites needed for business operations.
Only the business owner has the "key" code for the computer system and separate
wireless networks exist for patient and business use.



SECURITY ANALYST CHECKLIST

To be completed in conjunction with your IT professional.

ESTABLISHED AND IMPLEMENTED THROUGHOUT THE OFFICE TO INCLUDE THE FOLLOWING:	Y N	NOTES
Is there a formal process for approving and testing all network connections and changes to the firewall and router configurations?		
Is there a current network diagram that documents all connections in the office and other networks, including any wireless networks?		
Is there a process to ensure the diagram is kept current and in a location that is easily accessible to all staff members?		
Is there a firewall implemented at each internet connection in the office? i.e. between local networks and wireless networks?		
Is the current network diagram up-to-date and consistent with HIPAA firewall configuration standards?		
Do firewall and router configurations include a documented list of services, protocols and ports that are open or can be accessed?		
Is there a justification and approval for each listed above?		
Does the office review firewall and router configurations at least every six months?		
Is the office or technician for the office verifying that all available updates and patches to the router and firewall are being installed monthly, quarterly or annually?		
Are firewall and router rules reviewed at least every six months?		
Do firewall and router configurations restrict connections between untrusted networks and trusted network systems protecting databases in the network?		
Is direct public access prohibited between the Internet and the internal networks holding patient data?		
Are anti-spoofing methods implemented to detect and block forged sourced IP addresses from entering the network?		
Are only established connections permitted into the network?		
Are measures in place to prevent the disclosure of private IP addresses and routing information to the Internet?		

62 | Compliance Training Partners

Are all disclosures of private IP addresses and routing information to	
external entities authorized?	
Are security policies and operational procedures for managing firewalls documented?	
COMPUTER SYSTEMS AND NETWORK COMPONENTS Are vendor-supplied defaults always changed before installing a system on the network?	
Are default or guest accounts removed or disabled before installing a system on the network?	
Are encryption keys changed from default at installation and changed when an employee with access to the private keys leave the company?	
Are administrative passwords to network devices changed when an employee with access to that information leaves the company?	
Are default passwords on routers or access points from third parties changed at installation?	
Is firmware on the router and wireless devices updated to support security from hacking, encryption viruses etc.	
Are there proper anti-virus systems in place on each device that is on the network?	
Are anti-virus systems checked for updates?	
Are anti-virus programs capable of detecting, removing, and	
protecting against all known types of malicious software (i.e. viruses, trojans, spyware, adware, rootkits and encryption viruses installed) on the computer system?	
STORED DATA	
Is the data storage amount and retention time compliant with legal, regulatory and business requirements?	
Are there defined processes in place for securely deleting data when no longer needed for legal, regulatory, and or business reasons?	
Are there specific retention requirements for the data that is held in your industry?	

Does the office have written documentation to support retention requirements?	
Is there a backup of the data?	
Is the backup properly managed?	
Who is responsible for daily follow-up of the backups?	
Is there a policy in place for hourly, daily, weekly or monthly backups?	
Are the backups held on site?	
If stored on removable media, is the removable media encrypted?	
Are all backups encrypted?	
Is the office utilizing cloud-based backups?	
Are cloud-based solutions HIPAA compliant and did the cloud company sign a BAA?	
Does the office have access to the passwords or encryption keys for these backups?	
Does the office have a plan for obtaining backups in a timely manner?	
Is there a policy in place for a data breach?	
Are appropriate facility entry controls in place to limit and monitor physical access to the network devices including routers, firewalls, servers and workstations?	
Are there video cameras or access-control mechanisms in place to monitor physical access?	
Are physical and/or logical controls in place to restrict access to publicly accessible networks jacks (i.e. waiting rooms etc.)?	
Is media or data sent outside the office encrypted to protect the sensitive patient information?	
Is the office using encrypted emails or a service to send sensitive patient information?	

© 2020 Compliance Training Partners



Comparison of NFPA 704 and HazCom 2012 Labels

	2 NFPA 704	HazCom 2012
Purpose	Provides basic information for emergency personnel responding to a fire or spill and those planning for emergency response.	Informs workers about the hazards of chemicals in workplace under normal conditions of use and foreseeable emergencies.
Number System: NFPA Rating and OSHA's Classification System	0-4 0-least hazardous 4-most hazardous	1-4 1-most severe hazard 4-least severe hazard • The Hazard category numbers are NOT required to be on labels but are required on SDSs in Section 2. • Numbers are used to CLASSIFY hazards to determine what label information is required.
Information Provided on Label	Health-Blue Flammability-Red Instability-Yellow Special Hazards*-White *OX Oxidizers W Water Reactives SA Simple Asphyxiants	Product Identifier Signal Word Hazard Statement(s) Pictogram(s) Precautionary statement(s); and Name address and phone number of responsible party.
Health Hazards on Label	Acute (short term) health hazards ONLY. Acute hazards are more typical for emergency response applications. Chronic health effects are not covered by NFPA 704.	Acute (short term) and chronic (long term) health hazards. Both acute and chronic health effects are relevant for employees working with chemicals day after day. Health hazards include acute hazards such as eye irritants, simple asphyxiants and skin corrosives as well as chronic hazards such as carcinogens.
Flammability/ Physical Hazards on Label	NFPA divides flammability and instability hazards into two separate numbers on the label. Flammability in red section Instability in yellow section	A broad range of physical hazard classes are listed on the label including explosives, flammables, oxidizers, reactives, pyrophorics, combustible dusts and corrosives.
Where to get information to place on label	Rating system found in NFPA Fire Protection Guide to Hazardous Materials OR NFPA 704 Standard System for Identification of the Hazards of Materials for Emergency Response 2012 Edition. Tables 5.2, 6.2, 7.2 and Chapter 8 of NFPA 704	OSHA Hazard Communication Standard 29 CFR 1910.1200 (2012). 1) Classify using Appendix A (Health Hazards) and Appendix B (Physical Hazards) 2) Label using Appendix C
Other	The hazard category numbers found in section 2 of the HC2012 compliant SDSs are NOT to be used to fill in the NFPA 704 diamond.	Supplemental information may also appear on the label such as any hazards not otherwise classified, and directions for use.
website	www.nfpa.org/704	www.osha.gov OR www.osha.gov/dsg/hazcom/index.html

For more information:



National Fire Protection Association www.nfpa.org (800) 344-3555



U.S. Department of Labor www.osha.gov (800) 321-OSHA (6742) OSHA 3678-08 2013



The substance: "NOMIXUP 7042012"

To create an OSHA label per HazCom 2012:

Step 1: Perform the classification in accordance with Appendix A: Health Hazards & Appendix B Physical Hazards of 29 CFR 1910.1200 — this is where you find the criteria for each hazard class and hazard category.

Class: Flammable Gas, Category 1

Class: Carcinogen, Category 1B

Class: Specific Target Organ Toxicity (Single Exposure), Category 3

Class: Substances and Mixtures Which, in Contact with Water, Emit Flammable Gases, Category 3

Step 2: Gather labeling information (Pictograms, Signal Word, Hazard Statements) from Appendix C of 29

CFR 1910.1200 based on the chemical's hazard class and category.

Step 3: Create the Label

To Create NFPA 704 label:

Step 1: Collect information on hazards from applicable sections of SDS. Some SDSs may provide the NFPA diamond symbol with hazard rating numbers filled in already. Note: Do NOT use the hazard category numbers given in section 2 of HazCom 2012 compliant SDS on 704 label!

If the diamond is not provided on the SDS you can obtain the information under the following sections of the SDS. Note that additional information may be provided in other sections of the SDS.

- Health hazard information under Section 11
- Flammability information under Section 9
- Instability information under Section 10
- Special information under Section 9, 10, 11

Step 2: Obtain current edition copy of NFPA 704 or view on line at www.nfpa.org/704. Compare the criteria on the SDS sections as shown above with the criteria shown in Tables 5.2 (Health), 6.2 (Flammability), 7.2 (Instability) and 8.2 (Special Hazards).

Step 3: Place numbers for the degree of hazard associated with the criteria obtained in Step 2 in the correct quadrant of NFPA 704 placard.

For more information:



National Fire Protection Association www.nfpa.org (800) 344-3555



U.S. Department of Labor www.osha.gov (800) 321-OSHA (6742

Identifier: NOMIXUP 7042012

DANGER!

Hazard Statements:

Estrency Flammable Gus
May Cause Respiratory Irritation
In Counter Cancer
May Cause Respiratory Irritation
In Counter with Water Releases Flammable Gas

Precautionary Statements:

Keep away from hearlsparks/open flames hot surfaces.-No Smoking
Obtain special instructions before use.
Do not handle until all selectly precautions have been read and understood.
Avoid breathing vapors and miss.
If inhack Remove person to fiscal air and keep comfortable for breathing.
Call poison centrefuctor if you feel unwell.
Leaking Gas Fire: Do not estinguish unless leak can be stopped safely.
Eliminate all ignition sources if safe to do so.
Store in tightly closed container in a well-ventilated place, locked up.
Use outdoors or use in a well-ventilated place.
Dispose of contents in accordance with local Prigonal/national regulations.

XYZ Chemical Company 123 Main St. Anywhere, NY, USA 1-800-400-1111

OSHA 3678-08 2013



 ${\bf Compliance Training Partners.com}$

P. 888.388.4782 20793 Farmington Road, Suite LL Farmington Hills, MI 48336



ComplianceTrainingPartners.com P. 888.388.4782